

ROB314 – Session 1 - Exo 2

Turtlesim

Configuration

You will use the package *turtlesim* that should be already installed.

You will need to use 4 terminals. With *terminator*, it is easier: you can split it in 4 terminals.

In each terminals, before using ROS command, you have to launch the command :

```
> source /opt/ros/melodic/setup.bash
```

Or add this command at the end of the file *~/.bashrc*

In the terminal #1 – Starting a *roscore*

- Start a roscore with

```
> roscore
```

- Take the time to look at what's on display.

In the terminal #2 – Starting a *turtlesim* node

- Run a turtlesim demo with

```
> rosrunc turtlesim turtlesim_node
```

- The node *turtlesim_node* of the package *turtlesim* is launched.
- You should see the “TurtleSim” window

In the terminal #3 – Analyze *turtlesim* node

- See the list of active nodes

```
> rosnod list
```

- We find the *turtlesim* node in the list

- Show information about the *turtlesim* node

```
> rosnod info /turtlesim
```

- We see that the node */turtlesim* have several possible publications, one subscription and several services

In the terminal #4 – Starting a *turtle_teleop_key* node

- Run a *turtle_teleop_key* demo node with

```
> rosrunc turtlesim turtle_teleop_key
```

- This node permit to move and control, with the keyboard, the turtle in the window.
- You must be careful to click on the **terminal** (not in the “TurtleSim” window) before using the keyboard arrows !

In the terminal #3 – Analyze

- See the new *turtle_teleop_key* node with

```
> rosnodetree
```

- We have a new element */teleop_turtle*

- Show the connection of the nodes over the */turtle1/cmd_vel* topic (*cmd_vel* = command velocity) with

```
> rostopic info /turtle1/cmd_vel
```

- We see the *publishers* of this topic: here the node */teleop_turtle*
- We see that *subscribers* of this topic: here the node */turtlesim*

In the terminal #3 – rqt_graph

- The tool *rqt_graph* provides a visualization of the ROS computation graph. It is useful to understand what happens in our ROS project.

```
> rqt_graph &
```

In the terminal #3 – Publish my own message from Console

- For example, to make the turtle move forward at a 0.2m/s speed, you can publish a *cmd_vel* message to the topic */turtle1/cmd_vel*:

```
> rostopic pub /turtle1/cmd_vel geometry_msgs/Twist '{linear: {x: 1.5}}'
```

- Check the result in the “TurtleSim” window.

- We can have the same result by specifying all the axis of velocity:

```
> rostopic pub /turtle1/cmd_vel geometry_msgs/Twist '{linear: {x: 1.5, y: 0, z: 0}, angular: {x: 0, y: 0, z: 0}}'
```

- Some of the messages like *cmd_vel* have a predefined timeout
- If you want to publish a message continuously use the **argument -r** with the loop rate in Hz

- For example, to make the turtle turn in circles continuously, type:

```
> rostopic pub /turtle1/cmd_vel -r 10 geometry_msgs/Twist '{linear: {x: 0.8}, angular: {z: 0.5}}'
```