


# Object Tracking in videos (cours 2)

## Rob 313


Gianni FRANCHI  
ENSTA-Paris



# Fundamental Components of Tracking by detection

An object tracking algorithm is made of two fundamental elements:

- **Association:** associate the objects on two different frames
- **Detection:** localize the objects.




# Fundamental Components of Tracking by detection

Some of the most important challenges of Tracking by detection include:

- **Missed detections:** long-term occlusions are usually present in semi-crowded scenarios. In this case, it is very hard for the tracker to re-identify the pedestrian.
- **False alarms:** the detector can be triggered by regions in the image that actually do not contain any pedestrian, creating false positive.
- **Similar appearance:** one source of information commonly used for pedestrian identification is appearance. However, in some videos similar clothing can lead to virtually identical appearance models for two different pedestrians.
- **Groups and other special behaviors:** when dealing with semi-crowded scenarios, it is very common to observe social behaviors like grouping.


# What is object detection?



# Before Deep Learning


Sliding windows.

- Score every subwindow.



Deformable part models (DPM)

- Uses HOG features
- Very fast



# Before Deep Learning



# Different type of Object detection


Two stages strategy:

- RCNN
- Fast RCNN
- Faster RCNN

One stage strategy:

- Yolo
- SSD
- RetinaNet


# RCNN






# Region proposal Network (RPN)

RPN will predict the best anchor. But what is an Anchor?




# Region proposal Network (RPN)

How do we define the best anchor?




# Region proposal Network (RPN)


How do we define the best anchor?



# Faster RCNN



## R-FCNN




# Yolo: You Only Look Once

The following predictions are made for each cell in an  $S \times S$  grid.  
output of YOLO:

- $C$  conditional class probabilities  $P(\text{Class}|\text{Obj})$
- $B$  bounding boxes (4 parameters each)
- $B$  confidence scores  $P(\text{Obj})$
- Output is  $S \times S \times (5B + C)$  tensor


conditional class probabilities  $P(\text{Class}|\text{Obj})$





# Criterion : mAP

How do we evaluate object detection





# Criterion : mAP

We need to define two metrics : **Precision** measures how accurate is your predictions. i.e. the percentage of your predictions are correct. **Recall** measures how good you find all the positives.

$$Precision = \frac{TP}{TP + FP} \quad (1)$$

$$Recall = \frac{TP}{TP + FN} \quad (2)$$


## Criterion : mAP

We need to define TP, FP and FN for object detection.



-  Ground truth
-  Prediction

$$IoU = \frac{\text{area of overlap}}{\text{area of union}}$$




# Criterion : mAP

For the PASCAL VOC challenge, a prediction is positive if  $IoU \geq 0.5$ . First, we divide the recall value from 0 to 1.0 into 11 points = 0, 0.1, 0.2, ..., 0.9 and 1.0. Next, we draw the **Recall-Precision curve** for this 11 value and integrate it. This process is applied for every class, and the mAP is the average.

# Graph Theory Basics (Remember)

A graph is a data structure that is defined by two components :


- edges
- nodes (vertices)



# Graph Theory Basics


We write a graph  $G = (V, E)$  where  $V$  is the set of nodes  $E$  is the set of edges.  $E \subseteq \{(x, y) | (x, y) \in V^2\}$

On the following case  $V = \{1, 2, 3, 4, 5\}$  and  
 $E = \{(1, 2), (1, 5), (2, 5), (2, 4), (2, 3)\}$




# Directed/Undirected graphs (Remember)

First, let us make a distinction between a directed graph and an undirected graph. A directed graph or digraph is a graph in which edges have orientations, while it doesn't for an undirected graph.



Undirected




Directed


# Simple graphs / Multigraphs (Remember)

A simple graph is a graph without any loop in which two nodes are connected by at most one edge.

A multigraph is a graph that can have multiple edges that have the same nodes. Thus two nodes may be connected by more than one edge. One node can also have a self-loop.



Simple graph




Multigraph

# Connected, Complete, Bipartite graphs (Remember)


A connected graph is a graph composed of at least one vertex and there is a path (=finite or infinite sequence of edges which joins two nodes) between every pair of nodes.

A complete graph is a graph whose each nodes are connected to all other nodes .


A bipartite graph is a graph whose vertices can be divided into two disjoint and independent sets  $U$  and  $V$  such that all edges connect a node in  $U$  to one in  $V$  .



Connected graph




Complete graph



Bipartite graph




# Matching problem



# Local Matching

Global (di)similarity measures are applied between two vectors  $T$  and  $X$  of the same dimension  $n$ , one of which being the model (template) of the object, (usually) represented by a rectangular patch, and the other a patch extracted from the current image, that corresponds to a location hypothesis.




# Local Matching

## Principle

- At each frame we build all the possible associations between the set of active tracks and the current set of detections.
- We select first the association with the smallest distance and the corresponding track and detection  $\mathcal{D}_k(X_{t-1,i}, X_{t,i})$ .
- we discard this object from the association problem.
- we repeat the previous step up to when there is not object at time  $t - 1$
- Remaining detections are used to create new tracks, while non associated tracks are ended.

# Local Matching



# Global Matching

## Principle


We look for the set of associations between tracks at time  $t - 1$  and  $N$  detections at time  $t$  with the smallest sum of distances :  $\sum_{i=1}^{n_{t-1}} \sum_{j=1}^{n_t} \|X_{t-1,i} - X_{t,j}\|^2$ . In practice, it is necessary to enumerate all the possible combinations of associations, which may turn out to be time consuming. An efficient algorithm to perform this task is the hungarian algorithm.

# Hungarian Algorithm

Converting this problem to a formal mathematical definition we can form the following equations:

- let us define a cost matrix  $C \in M_n(\mathbb{R})$ , where  $C_{ij}$  is the matching cost of object  $i$  at time  $t - 1$  to object  $j$  at time  $t$ .
- let us define a result binary matrix  $R \in M_n(\mathbb{R})$ , where  $R_{ij} = 1$  if and only if object  $i$  at time  $t - 1$  is assigned to object  $j$  at time  $t$ .
- One object  $i$  at time  $t - 1$  has just one object  $j$  at time  $t$  assign  $\sum_{j=1}^n R_{ij} = 1$
- one object  $j$  at time  $t$  is assign to just one object  $i$  at time  $t - 1$  assign  $\sum_{i=1}^n R_{ij} = 1$
- the total cost function is :  $\sum_{i=1}^n \sum_{j=1}^n R_{ij} C_{ij}$

# Hungarian Algorithm



$$\begin{pmatrix} 1 & 4 & 5 \\ 5 & 7 & 6 \\ 5 & 8 & 8 \end{pmatrix} \quad (3)$$

# Hungarian Algorithm

- This problem is known as the assignment problem.
- It is a special case of the transportation problem, which in turn is a special case of the min-cost problem
- It could also be optimized thanks to linear programming problem



# Hungarian Algorithm

- For each row of the matrix, find the smallest element and subtract it from every element in its row.
- Do the same (as first step) for all columns.
- Cover all zeros in the matrix using minimum number of horizontal and vertical lines.
- Test for Optimality: If the minimum number of covering lines is  $n$ , an optimal assignment is possible and we are finished. Else if lines are lesser than  $n$ , we haven't found the optimal assignment, and must proceed to the next step
- Determine the smallest entry not covered by any line. Subtract this entry from each uncovered row, and then add it to each covered column. Return to step

# Hungarian Algorithm: example

$$\begin{pmatrix} 1 & 4 & 5 \\ 5 & 7 & 6 \\ 5 & 8 & 8 \end{pmatrix}$$

$$\begin{pmatrix} 0 & 3 & 4 \\ 0 & 2 & 1 \\ 0 & 3 & 3 \end{pmatrix}$$

# Hungarian Algorithm: example

$$\begin{pmatrix} 0 & 3 & 4 \\ 0 & 2 & 1 \\ 0 & 3 & 3 \end{pmatrix}$$

$$\begin{pmatrix} 0 & 1 & 3 \\ 0 & 0 & 0 \\ 0 & 1 & 2 \end{pmatrix}$$

# Hungarian Algorithm: example

$$\begin{pmatrix} 0 & 1 & 3 \\ 0 & 0 & 0 \\ 0 & 1 & 2 \end{pmatrix}$$

$$\begin{pmatrix} 0 & 1 & 3 \\ 0 & 0 & 0 \\ 0 & 1 & 2 \end{pmatrix}$$

just 2 lines, so we need to do one more step.

# Hungarian Algorithm: example

$$\begin{pmatrix} 0 & 1 & 3 \\ 0 & 0 & 0 \\ 0 & 1 & 2 \end{pmatrix}$$

$$\begin{pmatrix} -1 & 0 & 2 \\ 0 & 0 & 0 \\ -1 & 0 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 0 & 0 & 2 \\ 1 & 0 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

the cost is 15.

# Multiple object tracking as Maximum likelihood as a global objective function

## Principle

- We propose here to consider the tracking task as the construction of the set of the most probable trajectories given the observed data.
- Let  $\theta_i = \{o_i^{t_{\text{init}}}, \dots, o_i^{t_{\text{end}}}\}$  denote a track: a sequence of an arbitrary number of states at discrete time .
- Let  $\Theta = \cup_{i=1}^N \theta_i$  denotes the set of trajectories composed of N tracks
- Let  $Z^I = \{o_i^{t_k}\}_{i,k}$  is the observed data over the time sequence.

For tracking purposes we want to find the tracks  $\Theta$  that maximize the posterior (MAP) of the tracks:

$$\mathcal{L}(\Theta) = P(\Theta/Z^I) \quad (4)$$

# Multiple object tracking as a Maximum A Posteriori probability as a global objective function

The posterior probability of the tracks is

$$\mathcal{L}(\Theta) = P(\Theta/Z^I) \quad (5)$$

By applying the Bayes rule, we can rewrite it:

$$\mathcal{L}(\Theta) = \frac{P(\Theta, Z^I)}{P(Z^I)} \quad (6)$$

We can just maximize the numerator then we have

$$P(\Theta, Z^I) = P(Z^I/\Theta)P(\Theta).$$

We also make the usual assumption that objects are detected and move independently, that the tracks are independent.

$$P(\Theta, Z^I) = \prod_{i,k} P(o_i^{t_k}/\Theta) \prod_i P(\theta_i) \quad (7)$$

# Multiple object tracking as a Maximum A Posteriori probability as a global objective function

$P(o_i^{t_k} / \Theta)$  is the probability that  $o_i^{t_k}$  is a good detection that belongs to the tracks.

$$P(o_i^{t_k} / \Theta) = \begin{cases} 1 - \beta_{i,k} & \text{if } \exists \theta_j \text{ such that } o_i^{t_k} \in \theta_j \\ \beta_{i,k} & \text{otherwise.} \end{cases} \quad (8)$$

The likelihood function  $P(o_i^{t_k} / \Theta)$  can model that the observations that are associated are true detections, and those that are not associated are false alarms



# Multiple object tracking as a Maximum A Posteriori probability as a global objective function

$$P(\theta_i) = P(\{o_i^{t_{\text{init}}}, \dots, o_i^{t_{\text{end}}}\}) \quad (9)$$

By assuming the track follow te Markov assumption :

$$P(\theta_i) = P_{in}(o_i^{t_{\text{init}}})P_{in}(o_i^{t_{\text{init}}+1}/o_i^{t_{\text{init}}})\dots P_{out}(o_i^{t_{\text{end}}}) \quad (10)$$


where  $P_{in}(o_i^{t_{\text{init}}})$  is the probability that a trajectory  $i$  is initiated with detection  $o_i^{t_{\text{init}}}$ ,  $P_{out}(o_i^{t_{\text{end}}})$  is the probability the probability that the trajectory is terminated at  $o_i^{t_{\text{end}}}$  and  $P_{in}(o_i^{t_{\text{init}}+1}/o_i^{t_{\text{init}}})$  that  $o_i^{t_{\text{init}}}$  is followed by  $o_i^{t_{\text{init}}+1}$  in the trajector

# Multiple object tracking as a Maximum A Posteriori probability as a global objective functionn

How to solve this global objective function?


- Linear Programming
- Multiple hypotesis testing
- Max flow [**Zhang2008**]

# Multiple object tracking as Max flow problem [Laura14]



# Maximum flow: Introduction

The objective of the algorithm is to calculate the maximum amount of flow passing from the source to the sink.



# Maximum flow: Problem Definition

- Each edge is labeled with a capacity, that represents the maximum amount of stuff that it can carry.
- The goal is to figure out how much stuff can be pushed from the source to the sink while respecting all edges' capacities

# Maximum flow: Problem Definition

Formally:

- Let us consider a directed graph  $G = (V, E)$ ,
- One special node is the source  $s \in V$ ,
- each edge  $e \in E$  has a non negative and integer capacity  $u_e$ ,
- we want to find for each edge  $e \in E$  has a non nonnegative and integer flow  $f_e$ ,

The goal is to find the flow  $f_e$

- **Capacity constraints:**  $f_e \leq u_e \forall e \in E$
- **Conservation constraints:** for every node  $v$  except  $s$  and  $k$  amount of flow entering  $v =$  amount of flow exiting  $v$ .


# Simple online and realtime tracking (SORT)[Bewley2016]

An object detection tracking algorithm with the following algorithm:


- 1 at time  $t$ , you apply the object detection DNN to have the objects.
- 2 you apply a Kalman filter with these objects between time  $t$  and  $t+1$
- 3 at time  $t+1$ , you apply the object detection DNN to have the objects.
- 4 you use the IoU to check if the objects have an intersection and the Hungarian algorithm assigns the object to the tracks.
- 5 you change the object state. If new objects are found you build a new track.

<https://www.youtube.com/watch?v=tq0BgncuMhs>

## Detect to track and track to detect [Feichtenhofer2017]










Tracking with just an object detection algorithm  
[Bergmann2019]

The presented Tracktor accomplishes multi-object tracking only with an object detector and consists of two primary processing steps, indicated in blue and red, for a given frame  $t$ . First, the regression of the object detector aligns already existing track bounding boxes  $\mathbf{b}_{t-1}^k$  of frame  $t-1$  to the object's new position at frame  $t$ . The corresponding object classification scores  $s_t^k$  of the new bounding box positions are then used to kill potentially occluded tracks. Second, the object detector (or a given set of public detections) provides a set of detections  $\mathcal{D}_t$  of frame  $t$ . Finally, a new track is initialized if a detection has no substantial Intersection over Union with any bounding box of the set of active tracks  $B_t = \{\mathbf{b}_t^{k_1}, \mathbf{b}_t^{k_2}, \dots\}$ .

# Tracking with just an object detection and REID [Voigtlaender2019]



## Winner of MOT challenge 2020 [Wang2020]



# Bibliography - Tracking

 **[Jalal12]** A.S. JALAL and V. SINGH

The State-of-the-Art in Visual Object Tracking  
Informatica 36 (2012) 227-248

 **[VOT14]** M. KRISTAN et al.

The Visual Object Tracking VOT2014 challenge results  
Visual Object Tracking Workshop 2014 at ECCV2014, 2014

 **[Comaniciu03]** D COMANICIU, V. RAMESH and P.MEER

Kernel-based object tracking  
Pattern Analysis and Machine Intelligence, 25(5), 564-575 (2003)

# Bibliography - Tracking

 **[Isard98]** M. ISARD and M. BLAKE

CONDENSATION - CONDitional DENSity propagATION for visual tracking

Int. Journal of Computer Vision (1998) 29(1), 5-28 (1998)

 **[Welsh01]** G. WELSH and G. BISHOP

An Introduction to the Kalman Filter

Tutorial of ACM SIGGRAPH (2001)

 **[Gordon93]** Gordon, Neil J., David J. Salmond, and Adrian FM Smith

Novel approach to nonlinear/non-Gaussian Bayesian state estimation

Digital Library, 1993

# Bibliography - Tracking



**[Cheng95]** Cheng, Yizong

"Mean shift, mode seeking, and clustering.

IEEE transactions on pattern analysis and machine intelligence 17.8 (1995) 790-799.



**[Laura14]** Leal-Taixe, Laura.

"Multiple object tracking with context awareness."

arXiv preprint arXiv:1411.7935 (2014).



**[Zhang2008]** Zhang, Li, Yuan Li, and Ramakant Nevatia

"Global data association for multi-object tracking using network flows."

IEEE Conference on Computer Vision and Pattern Recognition. IEEE, 2008.

# Bibliography - Tracking



**[Feichtenhofer2017]** Feichtenhofer, Christoph, Axel Pinz, and Andrew Zisserman.

"Detect to track and track to detect."

Proceedings of the IEEE International Conference on Computer Vision. 2017.



**[Bergmann2019]** Bergmann, Philipp, Tim Meinhardt, and Laura Leal-Taixe.

"Tracking without bells and whistles."

Proceedings of the IEEE international conference on computer vision. 2019.



**[Voigtlaender2019]** Voigtlaender, Paul, etal.

"MOTS: Multi-object tracking and segmentation."

Proceedings of the IEEE conference on computer vision and pattern recognition. 2019.



**[Wang2020]** Wang, Yongxin, Kris Kitani, and Xinshuo Weng.

"Joint Object Detection and Multi-Object Tracking with Graph Neural Networks."